

Hose & **C**ouplings **F**or **A**frica cc



INDUSTRIAL

HOSE

COUPLINGS



Hose & Couplings For Africa cc

CK 2006/095406/23

182 North Reef Rd,
Activia Park, Elandsfontein
P.O. Box 752 308,
Gardenview, 2047

**SPECIALISTS IN INDUSTRIAL
HOSE & COUPLINGS**

Tel: 011 822 7427/8

Fax: 011 822 7538

Cell: 078 108 8554

083 271 1590

e-mail: sales@hoseandcouplings.co.za
sales2@hoseandcouplings.co.za



www.hosesandcouplings.co.za





STORZ



CAMLOCKS



SL CLAMPS



PIPE FITTINGS



BRASS FITTINGS



Suction Strainer & Foot Valve



Hose Joiners & Swage Nipples



Storz Coupling & Spanner



Valves



Bauer & Perrot Couplings



Euro Claw Couplings



U.S. 4 Claw Couplings



Geka Type Brass Claw Coupling



U.S Brass Claw Couplings



Flanged Adaptors and Couplers



NEW

3 Arm
Camlock



Camlock Couplings



PERROT COUPLINGS





BAUER COUPLINGS



ALUMINIUM WITH STAINLESS STEEL ARMS

AA050	½"	12mm		EA050	½"	12mm	
AA075	¾"	20mm		EA075	¾"	20mm	
AA100	1"	25mm		EA100	1"	25mm	
AA125	1¼"	32mm		EA125	1¼"	32mm	
AA150	1½"	40mm		EA150	1½"	40mm	
AA200	2"	50mm		EA200	2"	50mm	
AA250	2½"	65mm		EA250	2½"	65mm	
AA300	3"	80mm		EA300	3"	80mm	
AA400	4"	100mm		EA400	4"	100mm	
AA500	5"	125mm		EA500	5"	125mm	
AA600	6"	150mm	EA600	6"	150mm		
AA800	8"	200mm	EA800	8"	200mm		
BA050	½"	12mm		FA050	½"	12mm	
BA075	¾"	20mm		FA075	¾"	20mm	
BA100	1"	25mm		FA100	1"	25mm	
BA125	1¼"	32mm		FA125	1¼"	32mm	
BA150	1½"	40mm		FA150	1½"	40mm	
BA200	2"	50mm		FA200	2"	50mm	
BA250	2½"	65mm		FA250	2½"	65mm	
BA300	3"	80mm		FA300	3"	80mm	
BA400	4"	100mm		FA400	4"	100mm	
BA500	5"	125mm		FA500	5"	125mm	
BA600	6"	150mm	FA600	6"	150mm		
BA800	8"	200mm	FA800	8"	200mm		
CA050	½"	12mm		DCA050	½"	12mm	
CA075	¾"	20mm		DCA075	¾"	20mm	
CA100	1"	25mm		DCA100	1"	25mm	
CA125	1¼"	32mm		DCA125	1¼"	32mm	
CA150	1½"	40mm		DCA150	1½"	40mm	
CA200	2"	50mm		DCA200	2"	50mm	
CA250	2½"	65mm		DCA250	2½"	65mm	
CA300	3"	80mm		DCA300	3"	80mm	
CA300S	3" Spiral Tail			DCA400	4"	100mm	
CA400	4"	100mm		DCA500	5"	125mm	
CA400S	4" Spiral Tail			DCA600	6"	150mm	
CA500	5"	125mm		DCA800	8"	200mm	
CA600	6"	150mm		DPA050	½"	12mm	
CA800	8"	200mm		DPA075	¾"	20mm	
DA050	½"	12mm		DPA100	1"	25mm	
DA075	¾"	20mm		DPA125	1¼"	32mm	
DA100	1"	25mm		DPA150	1½"	40mm	
DA125	1¼"	32mm		DPA200	2"	50mm	
DA150	1½"	40mm		DPA250	2½"	65mm	
DA200	2"	50mm		DPA300	3"	80mm	
DA250	2½"	65mm		DPA400	4"	100mm	
DA300	3"	80mm		DPA500	5"	125mm	
DA301	3" with Thread Seal			DPA600	6"	150mm	
DA400	4"	100mm		DPA800	8"	200mm	
DA401	4" with Thread Seal			MAX WORKING PRESSURE: ½" - 2½" = 10 BAR 5" - 6" = 5 BAR 3" = 8 BAR 4" = 6 BAR			
DA500	5"	125mm					
DA600	6"	150mm					
DA800	8"	200mm					

ALUMINIUM VAPOUR RECOVERY CAMLOCKS

CVR400	4"	100mm Aluminium Hosetail	
CVR300	3"	80mm Aluminium Hosetail	
CVR4030	4"-3"	100mm Head to 80mm Hosetail	

STAINLESS STEEL 316 WITH STAINLESS STEEL ARMS

AS050	1/2"	12mm	 TYPE A	ES050	1/2"	12mm	 TYPE E
AS075	3/4"	20mm		ES075	3/4"	20mm	
AS100	1"	25mm		ES100	1"	25mm	
AS125	1 1/4"	32mm		ES125	1 1/4"	32mm	
AS150	1 1/2"	40mm		ES150	1 1/2"	40mm	
AS200	2"	50mm		ES150DIN	1 1/2"	40mm	
AS250	2 1/2"	65mm		ES200	2"	50mm	
AS300	3"	80mm		ES200DIN	2"	50mm	
AS400	4"	100mm		ES250	2 1/2"	65mm	
AS500	5"	125mm		ES300	3"	80mm	
AS600	6"	150mm		ES400	4"	100mm	
BS050	1/2"	12mm	 TYPE B	ES500	5"	125mm	 TYPE F
BS075	3/4"	20mm		FS050	1/2"	12mm	
BS100	1"	25mm		FS075	3/4"	20mm	
BS125	1 1/4"	32mm		FS100	1"	25mm	
BS150	1 1/2"	40mm		FS125	1 1/4"	32mm	
BS200	2"	50mm		FS150	1 1/2"	40mm	
BS250	2 1/2"	65mm		FS200	2"	50mm	
BS300	3"	80mm		FS250	2 1/2"	65mm	
BS400	4"	100mm		FS300	3"	80mm	
BS500	5"	125mm		FS400	4"	100mm	
BS600	6"	150mm		FS500	5"	125mm	
CS050	1/2"	12mm	 TYPE C	FS600	6"	150mm	 TYPE DC
CS075	3/4"	20mm		DCS050	1/2"	12mm	
CS100	1"	25mm		DCS075	3/4"	20mm	
CS125	1 1/4"	32mm		DCS100	1"	25mm	
CS150	1 1/2"	40mm		DCS125	1 1/4"	32mm	
CS150DIN	1 1/2"	40mm		DCS150	1 1/2"	40mm	
CS200	2"	50mm		DCS200	2"	50mm	
CS200DIN	2"	50mm		DCS250	2 1/2"	65mm	
CS250	2 1/2"	65mm		DCS300	3"	80mm	
CS300	3"	80mm		DCS400	4"	100mm	
CS300-3	3" 3 Arm			DCS500	5"	125mm	
CS400	4"	100mm		DCS600	6"	150mm	
CS400-3	4" 3 Arm			DPS050	1/2"	12mm	 TYPE DP
CS500	5"	125mm		DPS075	3/4"	20mm	
CS600	6"	150mm		DPS100	1"	25mm	
DS050	1/2"	12mm	 TYPE D	DPS125	1 1/4"	32mm	
DS075	3/4"	20mm		DPS150	1 1/2"	40mm	
DS100	1"	25mm		DPS200	2"	50mm	
DS125	1 1/4"	32mm		DPS250	2 1/2"	65mm	
DS150	1 1/2"	40mm		DPS300	3"	80mm	
DS200	2"	50mm		DPS400	4"	100mm	
DS250	2 1/2"	65mm		DPS500	5"	125mm	
DS300	3"	80mm		DPS600	6"	150mm	
DS400	4"	100mm		MAX WORKING PRESSURE: 1/2" - 2 1/2" = 10 BAR 3 ARM 3" = 30 BAR 3" - 6" = 8 BAR			
DS500	5"	125mm					
DS600	6"	150mm					

ISO9001:2008 CERTIFIED

STAINLESS STEEL 316 CAMLOCK SPECIALS

BUTTWELD CAMLOCKS

BBW012	1/2"		FBW012	1/2"	
BBW020	3/4"		FBW020	3/4"	
BBW025	1"		FBW025	1"	
BBW032	1 1/4"		FBW032	1 1/4"	
BBW040	1 1/2"		FBW040	1 1/2"	
BBW050	2"		FBW050	2"	
BBW065	2 1/2"		FBW065	2 1/2"	
BBW080	3"		FBW080	3"	
BBW100	4"		FBW100	4"	
BBW125	5"		FBW125	5"	
BBW150	6"		FBW150	6"	

SOCKETWELD CAMLOCKS

ASW012	1/2"		DSW012	1/2"	
ASW020	3/4"		DSW020	3/4"	
ASW025	1"		DSW025	1"	
ASW032	1 1/4"		DSW032	1 1/4"	
ASW040	1 1/2"		DSW040	1 1/2"	
ASW050	2"		DSW050	2"	
ASW065	2 1/2"		DSW065	2 1/2"	
ASW080	3"		DSW080	3"	
ASW100	4"		DSW100	4"	
ASW125	5"		DSW125	5"	
ASW150	6"		DSW150	6"	

MALE TO MALE CAMLOCK

SAS050	1/2" x 1/2"
SAS075	3/4" x 3/4"
SAS100	1" x 1"
SAS125	1 1/4" x 1 1/4"
SAS150	1 1/2" x 1 1/2"
SAS200	2" x 2"
SAS250	2 1/2" x 2 1/2"
SAS300	3" x 3"
SAS400	4" x 4"
SAS500	5" x 5"
SAS600	6" x 6"



MALE TO MALE REDUCING CAMLOCKS

SAS040X050	1 1/2" x 2"	
SAS050X080	2" x 3"	
SAS080X100	3" x 4"	

MAX WORKING PRESSURE

1/2" - 2 1/2" = 10 BAR

3" - 6" = 8 BAR

FEMALE TO MALE REDUCING CAMLOCKS

SCAS040X025	1 1/2" x 1"
SCAS080X040	3" x 1 1/2"
SCAS080X050	3" x 2"
SCAS100X050	4" x 2"
SCAS100X080	4" x 3"



ISO9001 CERTIFIED

STAINLESS STEEL 316 CAMLOCK SPECIALS

MALE ASA150lbs FLANGE			FEMALE ASA150lbs FLANGE				
CODE	SIZE	PCD		CODE	SIZE	PCD	
FAS020ASA150	¾"	70mm		FCS020ASA150	¾"	70mm	
FAS025ASA150	1"	79.5mm		FCS025ASA150	1"	79.5mm	
FAS032ASA150	1¼"	89mm		FCS032ASA150	1¼"	89mm	
FAS040ASA150	1½"	98.5mm		FCS040ASA150	1½"	98.5mm	
FAS050ASA150	2"	120.5mm		FCS050ASA150	2"	120.5mm	
FAS065ASA150	2½"	139.5mm		FCS065ASA150	2½"	139.5mm	
FAS080ASA150	3"	152.5mm		FCS080ASA150	3"	152.5mm	
FAS100ASA150	4"	190.5mm		FCS100ASA150	4"	190.5mm	
FAS125ASA150	5"	216mm		FCS125ASA150	5"	216mm	
FAS150ASA150	6"	241.5mm		FCS150ASA150	6"	241.5mm	
MALE TABLE D FLANGE				FEMALE TABLE D FLANGE			
CODE	SIZE	PCD		CODE	SIZE	PCD	
FAS025T/D	1"	90mm		FCS025T/D	1"	90mm	
FAS040T/D	1½"	105mm		FCS040T/D	1½"	105mm	
FAS050T/D	2"	120mm		FCS050T/D	2"	120mm	
FAS065T/D	2½"	140mm		FCS065T/D	2½"	140mm	
FAS080T/D	3"	150mm		FCS080T/D	3"	150mm	
FAS100T/D	4"	175mm		FCS100T/D	4"	175mm	
FAS125T/D	5"	175mm		FCS125T/D	5"	175mm	
FAS150T/D	6"	240mm		FCS150T/D	6"	240mm	
MALE PN16 FLANGE				FEMALE PN16 FLANGE			
CODE	SIZE	PCD		CODE	SIZE	PCD	
FA020PN16SS	¾"	75mm		FCS020PN16	¾"	75mm	
FA025PN16SS	1"	85mm		FCS025PN16	1"	85mm	
FA032PN16SS	1¼"	100mm		FCS032PN16	1¼"	100mm	
FA040PN16SS	1½"	110mm		FCS040PN16	1½"	110mm	
FA050PN16SS	2"	125mm		FCS050PN16	2"	125mm	
FA065PN16SS	2½"	145mm		FCS065PN16	2½"	145mm	
FA080PN16SS	3"	160mm		FCS080PN16	3"	160mm	
FA100PN16SS	4"	180mm		FCS100PN16	4"	180mm	
FA125PN16SS	5"	210mm		FCS125PN16	5"	210mm	
FA150PN16SS	6"	240mm		FCS150PN16	6"	240mm	
MALE TTMA FLANGE							
TTMA300	3"	PCD 124mm					

ISO9001:2008 CERTIFIED

BRASS WITH STAINLESS STEEL ARMS CAMLOCK COUPLINGS									
AB050	½"		EB050	½"					
AB075	¾"		EB075	¾"					
AB100	1"		EB100	1"					
AB125	1¼"		EB125	1¼"					
AB150	1½"		EB150	1½"					
AB200	2"		EB200	2"					
AB250	2½"		EB250	2½"					
AB300	3"		EB300	3"					
AB400	4"		EB400	4"					
AB400N	4" BRONZE NPT Thread			EB500		5"			
AB500	5"	EB600		6"					
AB500N	5" BRONZE NPT Thread	FB050		½"					
AB600	6"	FB075		¾"					
BB050	½"	FB100		1"					
BB075	¾"	FB125		1¼"					
BB100	1"	FB150		1½"					
BB125	1¼"	FB200		2"					
BB150	1½"	FB250		2½"					
BB200	2"	FB300		3"					
BB250	2½"	FB400	4"						
BB300	3"	FB500	5"						
BB400	4"	FB600	6"						
BB500	5"		DCB050	½"					
BB600	6"		DCB075	¾"					
CB050	½"		DCB100	1"					
CB075	¾"		DCB125	1¼"					
CB100	1"		DCB150	1½"					
CB125	1¼"		DCB200	2"					
CB150	1½"		DCB250	2½"					
CB200	2"		DCB300	3"					
CB250	2½"		DCB400	4"					
CB300	3"		DCB500	5"					
CB400	4"	DCB600	6"						
CB500	5"		DPB050	½"					
CB600	6"		DPB075	¾"					
DB050	½"		DPB100	1"					
DB075	¾"		DPB125	1¼"					
DB100	1"		DPB150	1½"					
DB125	1¼"		DPB200	2"					
DB150	1½"		DPB250	2½"					
DB200	2"		DPB300	3"					
DB250	2½"		DPB400	4"					
DB300	3"		DPB500	5"					
DB400	4"	DPB600	6"						
DB400N	4" BRONZE NPT Thread		MAX WORKING PRESSURE:						
DB500	5"		½" - 2½" = 10 BAR	5" - 6" = 5 BAR					
DB500N	5" BRONZE NPT Thread		3" = 8 BAR	4" = 6 BAR					
DB600	6"								

$$\frac{1}{2}'' - 2\frac{1}{2}'' = 10 \text{ BAR}$$

5" - 6" = 5 BAR

3" = 8 BAR

4" = 6 BAR

POLYPROPYLENE WITH S/S ARMS

AP050	½"	12mm
AP075	¾"	20mm
AP100	1"	25mm
AP125	1¼"	32mm
AP150	1½"	40mm
AP200	2"	50mm
AP300	3"	80mm
AP400	4"	100mm
BP050	½"	12mm
BP075	¾"	20mm
BP100	1"	25mm
BP125	1¼"	32mm
BP150	1½"	40mm
BP200	2"	50mm
BP300	3"	80mm
BP400	4"	100mm
CP050	½"	12mm
CP075	¾"	20mm
CP100	1"	25mm
CP125	1¼"	32mm
CP150	1½"	40mm
CP200	2"	50mm
CP300	3"	80mm
CP400	4"	100mm
DP050	½"	12mm
DP075	¾"	20mm
DP100	1"	25mm
DP125	1¼"	32mm
DP150	1½"	40mm
DP200	2"	50mm
DP300	3"	80mm
DP400	4"	100mm
EP050	½"	12mm
EP075	¾"	20mm
EP100	1"	25mm
EP125	1¼"	32mm
EP150	1½"	40mm
EP200	2"	50mm
EP300	3"	80mm
EP400	4"	100mm
FP050	½"	12mm
FP075	¾"	20mm
FP100	1"	25mm
FP125	1¼"	32mm
FP150	1½"	40mm
FP200	2"	50mm
FP300	3"	80mm
FP400	4"	100mm
DCP050	½"	12mm
DCP075	¾"	20mm
DCP100	1"	25mm
DCP125	1¼"	32mm
DCP150	1½"	40mm
DCP200	2"	50mm
DCP300	3"	80mm
DCP400	4"	100mm
DPP050	½"	12mm
DPP075	¾"	20mm
DPP100	1"	25mm
DPP125	1¼"	32mm
DPP150	1½"	40mm
DPP200	2"	50mm
DPP300	3"	80mm
DPP400	4"	100mm

TYPE A



Female BSP - Male Camlock

TYPE B



Female Camlock - Male BSP

TYPE C



Female Camlock - Hose tail

TYPE D



Female Camlock - Female BSP

TYPE E



Hose tail - Male Camlock

TYPE F



Male BSP - Male

TYPE DC



Female End Cap (Dust Cap)

TYPE DP



Male End Cap (Dust Plug)

MAX WORKING PRESSURE: ½" - 4" = 3 BAR

DRY DISCONNECT COUPLING

2"	50mm Aluminium		
2 1/2"	65mm Aluminium		
2"	50mm Aluminium		
2 1/2"	65mm Aluminium		

VAPOUR RECOVERY CAMLOCKS

4"	100mm Aluminium Hosetail		
3"	80mm Aluminium Hosetail		
4"-3"	100mm Aluminium head to 80mm Hosetail		

RUBBER SEALS

BUNA N

Code	Size	
RWB050	1/2"	12mm
RWB075	3/4"	20mm
RWB100	1"	25mm
RWB125	1 1/4"	32mm
RWB150	1 1/2"	40mm
RWB200	2"	50mm
RWB250	2 1/2"	65mm
RWB300	3"	80mm
RWB400	4"	100mm
RWB500	5"	125mm
RWB600	6"	150mm



EPDM

Code	Size	
RWE050	1/2"	12mm
RWE075	3/4"	20mm
RWE100	1"	25mm
RWE125	1 1/4"	32mm
RWE150	1 1/2"	40mm
RWE200	2"	50mm
RWE250	2 1/2"	65mm
RWE300	3"	80mm
RWE400	4"	100mm
RWE500	5"	125mm
RWE600	6"	150mm



SILLICON


Code	Size	
RWSI050	1/2"	12mm
RWSI075	3/4"	20mm
RWSI125	1 1/4"	32mm
RWSI150	1 1/2"	40mm
RWSI200	2"	50mm
RWSI250	2 1/2"	65mm
RWSI300	3"	80mm
RWSI400	4"	100mm
RWSI500	5"	125mm
RWSI600	6"	150mm



RUBBER SEALS

VITON

Code	Size	
RWV050	1/2"	12mm
RWV075	3/4"	20mm
RWV125	1 1/4"	32mm
RWV150	1 1/2"	40mm
RWV200	2"	50mm
RWV250	2 1/2"	65mm
RWV300	3"	80mm
RWV400	4"	100mm
RWV500	5"	125mm
RWV600	6"	150mm



RUBBER SEALS


FULL TEFLON

Code	Size	
RWF050	1/2"	12mm
RWF075	3/4"	20mm
RWF100	1"	25mm
RWF125	1 1/4"	32mm
RWF150	1 1/2"	40mm
RWF200	2"	50mm
RWF250	2 1/2"	65mm
RWF300	3"	80mm
RWF400	4"	100mm
RWF500	5"	125mm
RWF600	6"	150mm




NEOPREEN

Code	Size	
RWN050	1/2"	12mm
RWN075	3/4"	20mm
RWN100	1"	25mm
RWN125	1 1/4"	32mm
RWN150	1 1/2"	40mm
RWN200	2"	50mm
RWN250	2 1/2"	65mm
RWN300	3"	80mm
RWN400	4"	100mm
RWN500	5"	125mm
RWN600	6"	150mm



TEFLON ENVELOPE

Code	Size	
RWTE050	1/2"	12mm
RWTE075	3/4"	20mm
RWTE100	1"	25mm
RWTE125	1 1/4"	32mm
RWTE150	1 1/2"	40mm
RWTE200	2"	50mm
RWTE250	2 1/2"	65mm
RWTE300	3"	80mm
RWTE400	4"	100mm
RWTE500	5"	125mm
RWTE600	6"	150mm



DRY BREAKS

ALUMINIUM DRY BREAK HOSE UNIT

CODE	TYPE
DBAUA050/040	2" x 1 1/2"
DBAUA050/050	2" x 2"
DBAUA065/065	2 1/2" x 2 1/2"
DBAUA065/080	2 1/2" x 3"
DBAUA100/100	4" x 4"



ALUMINIUM DRY BREAK TANK UNIT

DBTUA050/040	2" x 1 1/2"
DBTUA050/050	2" x 2"
DBTUA065/065	2 1/2" x 2 1/2"
DBTUA065/080	2 1/2" x 3"



STAINLESS STEEL DRY BREAK HOSE UNIT

DBTUS025/025	1" X 1"
DBTUS050/040	2" X 1 1/2"



DRY BREAK DUST PLUGS POLYPROP

CODE	TYPE
DBDP040	40mm BLACK
DBDP050	50mm BLACK
DBDP065	65mm BLACK



DRY BREAK DUST CAP ALUMINIUM

DBDCA065	2 1/2"
----------	--------



METERS

CODE	TYPE
K24	1" K24 DIGITAL TURBINE METER FEMALE - FEMALE



F08950000	1" ALUMINIUM INLINE FILTER
-----------	----------------------------



FM120	1" FLOW METER
-------	---------------

Alu Inline Strainer included.

Flowrate 20-120L/pm

Max Pressure 3.5 Bar

±1% accuracy

1" inlet/outlet



OFFICIAL PIUSI AGENTS



K33 Flow Meter



K44 Flow Meter



K24 Flow Meter



Battery Kits
12V or 24V



Fuel Hoses Composite Fuel Hose



STORZ HOSE COUPLING - ALUMINIUM

CODE	HOSE SIZE	HEAD SIZE (MEASURE BETWEEN LUGS)
SCH020	¾"	31 Lug
SCH025	1"	31 Lug
SCH032	1¼"	44 Lug
SCH040	1½"	51 Lug
SCH050	2"	66 Lug
SCH/S050	2"	66 Lug Full Stainless steel 316
SCH065	2½"	81 Lug
SCH070	2½"	89 Lug
SCH080	3"	89 Lug
SCH081	3"	89 Lug (ALU Head - Steel Tail)
SCH100	4"	133 Lug
SCH101	4"	133 Lug SPEC
SCH/S100	4"	133 Lug Full Stainless steel 316
SCH115	4"	115 Lug
SCH133	4"	133 Lug (ALU Head - Steel Tail)
SCH133FS	4"	133 Lug (Full Steel)
SCH125	5"	145 Lug
SCH150	6"	160 Lug
SCH200	8"	205 Hosetail - 220 (2 Lug)
SCH250	10"	258 Hosetail - 278 (3 Lug)
SWC133	4"	Mild Steel Wire Circlip 133 Lug



Please Note:

2½" 81 Lug = Fire Fighting

2½" 89 Lug = Cement

4" 115 Lug = Fire Fighting

4" 133 Lug = Cement

STORZ FEMALE COUPLING - ALUMINIUM

CODE	THREAD SIZE	HEAD SIZE (MEASURE BETWEEN LUGS)
SCF020	¾"	31 Lug
SCF025	1"	31 Lug
SCF032	1¼"	44 Lug
SCF040	1½"	51 Lug
SCF050	2"	66 Lug
SCF050SW	2"	66 Lug with SWIVEL BSP THREAD
SCF/S050	2"	66 Lug Full Stainless steel 316
SCF065	2½"	81 Lug
SCF070	2½"	89 Lug
SCF080	3"	89 Lug
SCF080SW	3"	89 Lug with SWIVEL BSP THREAD
SCF100	4"	133 Lug
SCF100SW	4"	133 Lug with SWIVEL BSP THREAD
SCF/S100	4"	133 Lug Stainless Steel 316
SCF115	4"	115 Lug
SCF133 FS	4"	133Lug (Full Steel)
SCF125	5"	145 Lug
SCF150	6"	160 Lug
SCF200	8"	220 (2 Lug)
SCF250	10"	278 (3 Lug)



NEW SWIVEL THREAD

STORZ MALE COUPLING - ALUMINIUM

CODE	THREAD SIZE	HEAD SIZE (MEASURE BETWEEN LUGS)
SCM020	¾"	31 Lug
SCM025	1"	31 Lug
SCM040	1½"	51 Lug
SCM050	2"	66 Lug
SCM065	2½"	81 Lug
SCM070	2½"	89 Lug
SCM080	3"	89 Lug
SCM100	4"	133 Lug



STORZ COUPLING BLIND END CAP WITH CHAIN- ALUMINIUM

CODE	THREAD SIZE	HEAD SIZE (MEASURE BETWEEN LUGS)
SCB025	1"	31 Lug
SCB032	1¼"	44 Lug
SCB040	1½"	51 Lug
SCB050	2"	66 Lug
SCB/S050	2"	66 Lug Full Stainless steel 316
SCB065	2½"	81 Lug
SCB080	3"	89 Lug
SCB100	4"	133 Lug
SCB/S100	4"	133 Lug Stainless Steel 316
SCB115	4"	115 Lug
SCB125	5"	145 Lug
SCB150	6"	160 Lug
SCB200	8"	220 (2 Lug)
SCB250	10"	278 (3 Lug)



FRONT NITRILE RUBBER SEALS (LUG SIDE)

RWS031	¾"	31 Lug
RWS03125MM	1"	31 Lug
RWS044	1¼"	44 Lug
RWS051	1½"	51 Lug
RWS066	2"	66 Lug
RWS081	2½"	81 Lug
RWS089B	3"	89 Lug BLACK
RWS089W	3"	89 Lug WHITE
RWS115	4"	115 Lug
RWS133B	4"	133 Lug BLACK
RWS133W	4"	133 Lug WHITE
RWS145	5"	145 Lug
RWS160	6"	160 Lug



REAR SEALS FOR FEMALE COUPLINGS (THREAD SIDE)

RWSC075	¾"
RWSC100	1"
RWSC125	1¼"
RWSC150	1½"
RWSC200	2"
RWSC250	2½"
RWSC300	3"
RWSC400	4"
RWSC500	5"
RWSC600	6"



STORZ SPANNERS

SP001	¾" - 1¼"
SP002	1½"
SP003	2" - 2½"
SP004	3" - 4"
SP005	6"



MORRIS COUPLINGS

BRONZE HOSETAIL SET

Code	Size		
MCB065/SET	2½" x 2½"	65mm x 65mm	



BRONZE FEMALE WITH MALE BSPT THREAD

MCBFXM065	2½" x 2½"	65mm x 65mm	
-----------	-----------	-------------	--



BRONZE FEMALE WITH FEMALE BSPT THREAD

MCF065	2½" x 2½"	65mm x 65mm	
--------	-----------	-------------	--



BRONZE MALE WITH FEMALE THREAD

MCMB065	2½" x 2½"	65mm x 65mm	
---------	-----------	-------------	--



ALUMINIUM

Code	Size		
MCA065X040/SET	2½" x 1½"	65mm x 40mm	
MCA065X045/SET	2½" x 1¾"	65mm x 45mm	
MCA065X050/SET	2½" x 2"	65mm x 50mm	
MCA065X065/SET	2½" x 2½"	65mm x 65mm	



GASKETS

MCGBN065	2½"	65mm	
----------	-----	------	--



BRASS LEVER BALL VALVES

BVB006	1/4"	8mm
BVB010	3/8"	10mm
BVB012	1/2"	12mm
BVB020	3/4"	20mm
BVB025	1"	25mm
BVB032	1 1/4"	32mm
BVB040	1 1/2"	40mm
BVB050	2"	50mm
BVB065	2 1/2"	65mm
BVB080	3"	80mm
BVB100	4"	100mm

**BRASS GATE VALVES**

GVB012	1/2"	12mm
GVB020	3/4"	20mm
GVB025	1"	25mm
GVB032	1 1/4"	32mm
GVB040	1 1/2"	40mm
GVB050	2"	50mm
GVB065	2 1/2"	65mm
GVB080	3"	80mm
GVB100	4"	100mm

**MINI BRASS BALL VALVES**

BVM010FF	10mm MINI BRASS VALVES FEMALE TO FEMALE
BVM012FF	12mm MINI BRASS VALVES FEMALE TO FEMALE
BVM010MF	10mm MINI BRASS VALVES MALE TO FEMALE
BVM012MF	12mm MINI BRASS VALVES MALE TO FEMALE

**INLINE BRASS "Y" STRAINER WITH STAINLESS STEEL 316 SCREEN**

ISB012	12mm
ISB020	20mm
ISB025	25mm
ISB040	40mm
ISB050	50mm
ISB100	100mm

**BRASS SPRING LOADED NON RETURN VALVE**

NRV012	12mm
NRV020	20mm
NRV025	25mm
NRV032	32mm
NRV040	40mm
NRV050	50mm
NRV065	65mm
NRV080	80mm
NRV100	100mm

**BRASS GEKA CLAW COUPLINGS**

GCF010	3/8" Female BSP
GCF012	1/2" Female BSP
GCF020	3/4" Female BSP
GCF025	1" Female BSP
GCF032	1 1/4" Female BSP
GCF040	1 1/2" Female BSP
GCM010	3/8" Male BSP
GCM012	1/2" Male BSP
GCM020	3/4" Male BSP
GCM025	1" Male BSP
GCM032	1 1/4" Male BSP
GCM040	1 1/2" Male BSP
GCT010	3/8" Hosetail
GCT012	1/2" Hosetail
GCT020	3/4" Hosetail
GCT025	1" Hosetail
GCT032	1 1/4" Hosetail
GCT040	1 1/2" Hosetail
RWGC025	Rubber gasket
GCB025	Blind End Cap



CAST IRON FOOT VALVES

Code	Size	
FV040	40mm	1 1/2"
FV050	50mm	2"
FV065	65mm	2 1/2"
FV080	80mm	3"
FV100	100mm	4"
FV150	150mm	6"
FV200	200mm	8"



TABLE D FLANGED CAST IRON FOOT VALVE

FVT/D040	40mm	1 1/2"
FVT/D050	50mm	2"
FVT/D065	65mm	2 1/2"
FVT/D080	80mm	3"
FVT/D100	100mm	4"
FVT/D150	150mm	6"
FVT/D200	200mm	8"



HEAVY DUTY BRASS

FVB040	40mm	1 1/2"
FVB050	50mm	2"
FVB080	80mm	3"
FVB100	100mm	4"



PERROT COUPLINGS

FEMALE PERROT COUPLING WITH HOSETAIL

Code	Size
PCFHT050	50mm to 50mm
PCFHT089	89mm to 80mm
PCFHT100	108mm to 100mm
PCFHT150	159mm to 150mm



FEMALE PERROT COUPLING THREADED

PCFT050	50mm to 50mm
PCFT089	89mm to 80mm
PCFT100	108mm to 100mm
PCFT150	159mm to 150mm



FEMALE PERROT COUPLING WITH TABLE D FLANGE

PCFT/D050	50mm to 50mm
PCFT/D089	89mm to 80mm
PCFT/D100	108mm to 100mm
PCFT/D150	159mm to 150mm



ALL FEMALE PERROT COUPLINGS ARE SOLD COMPLETE WITH RUBBER GASKET AND SAFETY CLIP

PERROT COUPLINGS

PERROT COUPLING GASKETS

Code	Size	
PCSRG050	50mm to 50mm	
PCSRG089	89mm to 80mm	
PCSRG100	108mm to 100mm	
PCSRG150	159mm to 150mm	

MALE PERROT COUPLING WITH HOSETAIL

PCMHT050	50mm to 50mm	
PCMHT089	89mm to 80mm	
PCMHT100	108mm to 100mm	
PCMHT150	159mm to 150mm	

MALE PERROT COUPLING THREADED

PCMT050	50mm to 50mm	
PCMT089	89mm to 80mm	
PCMT100	108mm to 100mm	
PCMT150	159mm to 150mm	

MALE PERROT COUPLING WITH TABLE D FLANGE

PCMT/D050	50mm to 50mm	
PCMT/D089	89mm to 80mm	
PCMT/D100	108mm to 100mm	
PCMT/D150	159mm to 150mm	

PERROT COUPLINGS

PERROT FEMALE END CAP

PFF050	50mm	
PFF080	89mm	
PFF100	108mm	
PFF150	159mm	



PERROT MALE END CAP

PFM050	50mm	
PFM080	89mm	
PFM100	108mm	
PFM150	159mm	



BAUER COUPLINGS

FEMALE WITH MALE BSP THREAD

Code	Size	
BCFT050	2"	50mm
BCFT080	3"	80mm
BCFT090	3 1/2"	90mm
BCFT100	4"	100mm
BCFT150	6"	150mm
BCFT200	8"	200mm



MALE BSP THREAD COMPLETE WITH ARMS

BCMT050	2"	50mm
BCMT080	3"	80mm
BCMT090	3 1/2"	90mm
BCMT100	4"	100mm
BCMT150	6"	150mm
BCMT200	8"	200mm



FEMALE HOSETAIL

BCFHT050	2"	50mm
BCFHT080	3"	80mm
BCFHT090	3 1/2"	90mm
BCFHT100	4"	100mm
BCFHT150	6"	150mm
BCFHT200	8"	200mm



MALE HOSETAIL COMPLETE WITH ARMS

BCMHT050	2"	50mm
BCMHT080	3"	80mm
BCMHT090	3 1/2"	90mm
BCMHT100	4"	100mm
BCMHT150	6"	150mm
BCMHT200	8"	200mm



BAUER COUPLINGS

FEMALE TABLE D FLANGED

BCFT/D050	2"	50mm
BCFT/D080	3"	80mm
BCFT/D100	4"	100mm
BCFT/D150	6"	150mm
BCFT/D200	8"	200mm



MALE TABLE D FLANGED COMPLETE WITH ARMS

BCMT/D050	2"	50mm
BCMT/D080	3"	80mm
BCMT/D100	4"	100mm
BCMT/D150	6"	150mm
BCMT/D200	8"	200mm



SPARE RUBBER GASKETS

BCSRG050	2"	50mm
BCSRG080	3"	80mm
BCSRG090	3 1/2"	90mm
BCSRG100	4"	100mm
BCSRG150	6"	150mm
BCSRG200	8"	200mm



GALVANIZED BSP THREADED SWAGE NIPPLES

SHHN012	1/2"	12mm MILD STEEL BSP THREADED
AHHN012	1/2"	12mm ALUMINIUM BSP THREADED
DIN8012	1/2"	1/2" BSPT X 3/4" Hosetail
RT9012	1/2"	12mm STAINLESS STEEL BSP THREADED
SHHN020	3/4"	20mm MILD STEEL BSP THREADED
AHHN020	3/4"	20mm ALUMINIUM BSP THREADED
DIN8020	3/4"	3/4" BSPT X 1" Hosetail
RT9020	3/4"	12mm STAINLESS STEEL BSP THREADED
SHHN025	1"	25mm MILD STEEL BSP THREADED
AHHN025	1"	25mm ALUMINIUM BSP THREADED
DIN8025	1"	1" BSPT X 1 1/4" Hosetail
RT9025	1"	12mm STAINLESS STEEL BSP THREADED
SHHN032	1 1/4"	32mm MILD STEEL BSP THREADED
RT8033	1 1/4"	32mm MILD STEEL BSP THREADED 76mm TAIL
AHHN032	1 1/4"	32mm ALUMINIUM BSP THREADED
DIN8032	1 1/4"	1 1/4" BSPT X 1 1/2" Hosetail
RT9032	1 1/4"	12mm STAINLESS STEEL BSP THREADED
SHHN040	1 1/2"	40mm MILD STEEL BSP THREADED
AHHN040	1 1/2"	40mm ALUMINIUM BSP THREADED
DIN8040	1 1/2"	1 1/2" BSPT X 2" Hosetail
RT9040	1 1/2"	12mm STAINLESS STEEL BSP THREADED
SHHN050	2"	50mm MILD STEEL BSP THREADED
AHHN050	2"	50mm ALUMINIUM BSP THREADED
DIN8050	2"	2" BSPT X 2 1/2" Hosetail
RT9050	2"	12mm STAINLESS STEEL BSP THREADED
RT8065	2 1/2"	65mm MILD STEEL BSP THREADED
DIN8065	2 1/2"	2 1/2" BSPT X 3" Hosetail
RT9065	2 1/2"	12mm STAINLESS STEEL BSP THREADED
RT8080	3"	80mm MILD STEEL BSP THREADED
DIN8080	3"	3" BSPT X 3 1/2" Hosetail
RT9080	3"	12mm STAINLESS STEEL BSP THREADED
RT8100	4"	100mm MILD STEEL BSP THREADED
RT8110	4"	100mm RUBBER FUEL HOSE NIPPLE
RT9100	4"	12mm STAINLESS STEEL BSP THREADED
RT8125	5"	125mm MILD STEEL BSP THREADED
RT9125	5"	12mm STAINLESS STEEL BSP THREADED
RT8150	6"	150mm MILD STEEL BSP THREADED
RT9150	6"	12mm STAINLESS STEEL BSP THREADED
RT8200	8"	200mm MILD STEEL BSP THREADED
RT9200	8"	12mm STAINLESS STEEL BSP THREADED



DIN
NIPPLES

UNTHREADED (WELD-ON) SWAGE NIPPLES

RTU8012	1/2"	12mm UNTHREADED MILD STEEL
RTU9012	1/2"	12mm UNTHREADED STAINLESS STEEL 316
RTU8020	3/4"	20mm UNTHREADED MILD STEEL
RTU9020	3/4"	20mm UNTHREADED STAINLESS STEEL 316
RTU8025	1"	25mm UNTHREADED MILD STEEL
RTU9025	1"	25mm UNTHREADED STAINLESS STEEL 316
RTU8032	1 1/4"	32mm UNTHREADED MILD STEEL
RTU9032	1 1/4"	32mm UNTHREADED STAINLESS STEEL 316
RTU8040	1 1/2"	40mm UNTHREADED MILD STEEL
RTU9040	1 1/2"	40mm UNTHREADED STAINLESS STEEL 316
RTU8050	2"	50mm UNTHREADED MILD STEEL
RTU9050	2"	50mm UNTHREADED STAINLESS STEEL 316
RTU8065	2 1/2"	65mm UNTHREADED MILD STEEL
RTU9065	2 1/2"	65mm UNTHREADED STAINLESS STEEL 316
RTU8080	3"	80mm UNTHREADED MILD STEEL
RTU9080	3"	80mm UNTHREADED STAINLESS STEEL 316
RTU8080LS	3"	80mm (PLATED) UNTHREADED MILD STEEL
RTU8100	4"	100mm UNTHREADED MILD STEEL
RTU9100	4"	100mm UNTHREADED STAINLESS STEEL 316
RT8100LS	4"	100mm (PLATED) UNTHREADED MILD STEEL
RTU8125	5"	125mm UNTHREADED MILD STEEL
RTU9125	5"	125mm UNTHREADED STAINLESS STEEL 316
RTU8150	6"	150mm UNTHREADED MILD STEEL
RTU9150	6"	150mm UNTHREADED STAINLESS STEEL 316
RTU8200	8"	200mm UNTHREADED MILD STEEL
RTU9200	8"	200mm UNTHREADED STAINLESS STEEL 316
RTU8250	10"	250mm UNTHREADED MILD STEEL
RTU8300	12"	300mm UNTHREADED MILD STEEL



SCH40 SEAMLESS CARBON STEEL NPT THREADED SWAGE NIPPLES

RTN8025	1"	25mm MILD STEEL
RTN9025	1"	25mm STAINLESS STEEL
RTN8032	1 1/4"	32mm MILD STEEL
RTN9032	1 1/4"	32mm STAINLESS STEEL
RTN8040	1 1/2"	40mm MILD STEEL
RTN9040	1 1/2"	40mm STAINLESS STEEL
RTN8050	2"	50mm MILD STEEL
RTN9050	2"	50mm STAINLESS STEEL
RTN8065	2 1/2"	65mm MILD STEEL
RTN9065	2 1/2"	65mm STAINLESS STEEL
RTN8080	3"	80mm MILD STEEL
RTN9080	3"	80mm STAINLESS STEEL
RTN8100	4"	100mm MILD STEEL
RTN9100	4"	100mm STAINLESS STEEL
RTN8125	5"	125mm MILD STEEL
RTN9125	5"	125mm STAINLESS STEEL
RTN8150	6"	150mm MILD STEEL
RTN9150	6"	150mm STAINLESS STEEL



GALVANIZED FLANGED SWAGE NIPPLES

SNF6025	1"	25mm Table D Mild Steel
SNF6032	1 1/4"	32mm Table D Mild Steel
SNF6040	1 1/2"	40mm Table D Mild Steel
SNF6050	2"	50mm Table D Mild Steel
SNF6051	2"	50mm 1000/3 Mild Steel
SNF6065	2 1/2"	65mm Table D Mild Steel
SNF6066	2 1/2"	65mm 1000/3 Mild Steel
SNF6067	2 1/2"	65mm ASA150 Mild Steel
SNF6080	3"	80mm Table D Mild Steel
SNF6081	3"	80mm 1000/3 Mild Steel
SNF6082	3"	80mm ASA150 Mild Steel
SNF6083	3"	80mm TTMA Mild Steel
SNF6100	4"	100mm Table D Mild Steel
SNF6101	4"	100mm 1000/3 Mild Steel
SNF6103	4"	100mm 10/3 Mild Steel
SNF6104	4"	100mm TTMA Mild Steel
SNF6125	5"	125mm Table D Mild Steel
SNF6150	6"	150mm Table D Mild Steel
SNF6151	6"	150mm 1000/3 Mild Steel
SNF6200	8"	200mm Table D Mild Steel
SNF6201	8"	200mm 1000/3 Mild Steel
SNF6250	10"	250mm Table D Mild Steel
SNF6251	10"	250mm 1000/3 Mild Steel
SNF6300	12"	300mm Table D Mild Steel
SNFA100	4"	100mm Alum Swage Nipple Welded To ASA150
SNFA101	4"	100mm Alum Swage Nipple Welded To TTMA
SNF9050	2"	50mm Table D Stainless Steel
SNF9065	2 1/2"	65mm Table D Stainless Steel
SNF9080	3"	80mm Table D Stainless Steel
SNF9100	4"	100mm Table D Stainless Steel
SNF9125	5"	125mm Table D Stainless Steel
SNF9150	6"	150mm Table D Stainless Steel
SNF9200	8"	200mm Table D Stainless Steel



GALVANIZED VICTAULIC SWAGE NIPPLES (SHOULDER END)

SNV050	2"	50mm Mild Steel
SNV080	3"	80mm Mild Steel
SNV100	4"	100mm Mild Steel



MILD STEEL GALVANIZED FLANGED SWAGE NIPPLES

SNF6025	1"	25mm Table D Flange
SNF6032	1 1/4"	32mm Table D D Flange
SNF6040	1 1/2"	40mm Table D Flange
SNF6050	2"	50mm Table D Flange
SNF6051	2"	50mm 1000/3 Flange
SNF6065	2 1/2"	65mm Table D Flange
SNF6066	2 1/2"	65mm 1000/3 Flange
SNF6067	2 1/2"	65mm ASA150 Flange
SNF6080	3"	80mm Table D Flange
SNF6081	3"	80mm 1000/3 Flange
SNF6082	3"	80mm ASA150 Flange
SNF6083	3"	80mm TTMA Flange
SNF6100	4"	100mm Table D Flange
SNF6101	4"	100mm 1000/3 Flange
SNF6103	4"	100mm 10/3 Flange
SNF6104	4"	100mm TTMA Flange
SNF6105	4"	100mm ASA150 Flange
SNF6125	5"	125mm Table D Flange
SNF6150	6"	150mm Table D Flange
SNF6151	6"	150mm 1000/3 Flange
SNF6200	8"	200mm Table D Flange
SNF6201	8"	200mm 1000/3 Flange
SNF6250	10"	250mm Table D Flange
SNF6251	10"	250mm 1000/3 Flange
SNF6300	12"	300mm Table D Flange
SNFA100	4"	100mm Aluminium Swage Nipple Welded To ASA150
SNFA101	4"	100mm Aluminium Swage Nipple Welded To TTMA
SNF9050	2"	50mm Table D Stainless Steel 316
SNF9065	2 1/2"	65mm Table D Stainless Steel 316
SNF9080	3"	80mm Table D Stainless Steel 316
SNF9100	4"	100mm Table D Stainless Steel 316
SNF9125	5"	125mm Table D Stainless Steel 316
SNF9150	6"	150mm Table D Stainless Steel 316
SNF9200	8"	200mm Table D Stainless Steel 316



UNTHREADED BLACK WELD-ON SWAGE NIPPLES

RTU8012	1/2"	12mm MILD STEEL
RTU9012	1/2"	12mm STAINLESS STEEL 316
RTU8020	3/4"	20mm MILD STEEL
RTU9020	3/4"	20mm STAINLESS STEEL 316
RTU8025	1"	25mm MILD STEEL
RTU9025	1"	25mm STAINLESS STEEL 316
RTU8032	1 1/4"	32mm MILD STEEL
RTU9032	1 1/4"	32mm STAINLESS STEEL 316
RTU8040	1 1/2"	40mm MILD STEEL
RTU9040	1 1/2"	40mm STAINLESS STEEL 316
RTU8050	2"	50mm MILD STEEL
RTU9050	2"	50mm STAINLESS STEEL 316
RTU8065	2 1/2"	65mm MILD STEEL
RTU9065	2 1/2"	65mm STAINLESS STEEL 316
RTU8080	3"	80mm MILD STEEL
RTU9080	3"	80mm STAINLESS STEEL 316
RTU8080LS	3"	80mm (PLATED) MILD STEEL
RTU8100	4"	100mm MILD STEEL
RTU9100	4"	100mm STAINLESS STEEL 316
RT8100LS	4"	100mm (PLATED) MILD STEEL
RTU8125	5"	125mm MILD STEEL
RTU9125	5"	125mm STAINLESS STEEL 316
RTU8150	6"	150mm MILD STEEL
RTU9150	6"	150mm STAINLESS STEEL 316
RTU8200	8"	200mm MILD STEEL
RTU9200	8"	200mm STAINLESS STEEL 316
RTU8250	10"	250mm MILD STEEL
RTU8300	12"	300mm MILD STEEL



GALVANIZED VICTAULIC SWAGE NIPPLES (SHOULDER END)

SNV050	2"	50mm Mild Steel
SNV080	3"	80mm Mild Steel
SNV100	4"	100mm Mild Steel

